

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method for providing a value added service, ~~such as an intelligent network service~~, which is available in a first network, to a subscriber in a second network, in which the first network comprises a first network node for executing the value added service, the method comprising:

- detecting in a terminating call to the subscriber that the subscriber desires to use the value added service;

- forwarding control of the call towards the first network node associated with a forwarding number in the first network;

- executing the value added service by the first network node, and, when necessary, further directing the call towards the subscriber in the second network associated with the terminating call.

2. (Previously Presented) The method according to claim 1, further comprising directing the call to the first network node using an indexing register, in which the indexing register indicates the type of value added service associated with the forwarding number.

3. (Previously Presented) The method according to claim 2, in which the first network is a public land mobile network (PLMN), the second network is a public switched telephone network (PSTN), the indexing register is a home location register (HLR) of the PLMN, and the first network node is a Service Node (SN) of the PLMN.

4. (Previously Presented) The method according to claim 3, wherein the home location register (HLR) comprises a terminating IN Category Keying (TICK) associated with the forwarding number.

5. (Previously Presented) The method according to claim 1, wherein the first network is a public switched telephone network (PSTN) and the second network is a public land mobile network (PLMN), and the first network node is a Service Node of the PSTN.

6. (Previously Presented) The method according to claim 3, wherein the Service Node is a Service Control Point (SCP) or an Application Server (AS) or a Service Capability Server (SCS).

7. (Previously Presented) The method according to claim 1 wherein the call to a subscriber is forwarded using a Call Forward Unconditional (CFU) mechanism.

8. (Previously Presented) The method according to claim 7, wherein the CFU mechanism is initiated by the subscriber.

9. (Previously Presented) The method according to claim 1 wherein the call is further directed towards the subscriber by overriding the Call Forwarding Unconditional mechanism.

10. (Currently Amended) The method according to claim 1 wherein the value added service comprise one or more of the following: Intelligent Network service; Malicious Call Barring; Personalised Greeting Service; VPN.

11. (Currently Amended) A method for providing a value added service, ~~such as an intelligent network (IN) service~~, which is available in a first network, to a subscriber in a second network, in which the first network comprises a first network node for executing the value added service, the method comprising:

- detecting in an originating call from the subscriber that the subscriber desires to use the value added service;
- forwarding control of the call towards the first network node associated with a forwarding number in the first network;

- executing the value added service by the first network node, and, when necessary, further directing the call towards a destination associated with the call.

12. (Previously Presented) The method according to claim 11, wherein the detecting comprises recognizing a match of at least part of a destination number in the call with a special predefined number.

13. (Previously Presented) The method according to claim 11, wherein the detecting comprises recognizing a match of an originating number of the subscriber.

14. (Previously Presented) The method according to claim 11, further comprising directing the call to the first network node using an indexing register, in which the indexing register indicates the type of value added service associated with the forwarding number.

15. (Previously Presented) The method according to claim 14, wherein the first network is a public land mobile network (PLMN), the second network is a public switched telephone network (PSTN), the indexing register is a home location register (HLR) of the PLMN, and the first network node is a Service Node (SN) of the PLMN.

16. (Previously Presented) The method according to claim 11 wherein the first network is a public switched telephone network (PSTN) and the second network is a public land mobile network (PLMN), and the first network node is a Service Node of the PSTN.

17. (Previously Presented) The method according to claim 15 wherein the Service Node is a Service Control Point (SCP) or an Application Server (AS) or a Service Capability Server (SCS).

18. (Currently Amended) The method according to claim 11 wherein the value added service comprise one or more of the following: intelligent network (IN) service; Outgoing Call Screening; Short Number Dialing; VPN.

19. (Currently Amended) An exchange in a second network for providing communications to a subscriber, the second network being interconnectable with a first network having a first network node for executing a value added service, ~~such as an intelligent network service~~, the exchange being arranged for:

- detecting in a terminating call the desire of the subscriber to use a value added service provided by a first network node of the first network;
- forwarding control of the call towards the first network node associated with a forwarding number in the first network; and
- when necessary, after execution of the value added service by the first network node, further directing the call towards the subscriber in the second network associated with the terminating call.

20. (Currently Amended) An exchange in a second network for providing communications to a subscriber, the second network being interconnectable with a first network having a first network node for executing a value added service, ~~such as~~ including that of an intelligent network service, the exchange being arranged for:

- detecting in an originating call the desire of the subscriber to use the value added service provided by a first network node of the first network;
- forwarding control of the call towards the first network node associated with a forwarding number in the first network; and
- when necessary, after execution of the value added service by the first network node, further directing the call towards a destination associated with the originating call.

21. (Previously Presented) The exchange according to claim 20, wherein the first network is a public land mobile network (PLMN), the second network is a public switched telephone network (PSTN), and the first network node is a Service Node (SN) of the PLMN.

22. (Previously Presented) The exchange according to claim 20, wherein the first network is a public switched telephone network (PSTN) and the second network is a public land mobile network (PLMN), and the first network node is a Service Node of the PSTN.

23. (Currently Amended) An indexing register associated with a service node of a first network, for providing a value added service, ~~such as~~ including that of an intelligent network (IN) service, which is available in the first network, to a subscriber in a second network, in which the service node is arranged for executing the value added service, the indexing register being arranged to indicate the type of value added service associated with a forwarding number to the service node after receiving control of a terminating call to the subscriber, the terminating call comprising an indication that the subscriber desires to use the value added service.

24. (Currently Amended) An indexing register associated with a service node of a first network, for providing a value added service, ~~such as~~ including that of an intelligent network (IN) service, which is available in the first network, to a subscriber in a second network, in which the service node is arranged for executing the value added service, the indexing register being arranged to indicate the type of value added service associated with a forwarding number to the service node after receiving control of an originating call from the subscriber, the originating call comprising an indication that the subscriber desires to use the value added service.

25. (Previously Presented) The indexing register according to claim 24, in which first network is a public land mobile network (PLMN), the second network is a public switched telephone network (PSTN), the indexing register being a home location register (HLR) of the PLMN, and the first network node is a Service Node (SN) of the PLMN.

26. (Previously Presented) The indexing register according to claim 25, in which the home location register (HLR) comprises a terminating IN Category Keying (TICK) associated with the forwarding number.

27. (Previously Presented) The indexing register according to claim 24, in which the first network is a public switched telephone network (PSTN) and the second network is a public land mobile network (PLMN), and the first network node is a Service Node of the PSTN.

28. (Previously Presented) The indexing register according to claim 26, in which the Service Node is a Service Control Point (SCP) or an Application Server (AS) or a Service Capability Server (SCS).

29. (Currently Amended) A service node for executing a value added service, ~~such as including that of~~ an intelligent network (IN) service, which service node is part of a first network, the first network being interconnectable with a second network, the second network being arranged for providing communications to a subscriber, the service node being arranged to execute the value added service after receiving control of a terminating call to or originating call from the subscriber, the terminating or originating call comprising an indication that the subscriber desires to use the value added service, and when necessary, further directing the call towards a destination associated with the call.

30. (Previously Presented) The service node according to claim 29, wherein the service node is a Service Control Point (SCP) or an Application Server (AS) or a Service Capability Server (SCS).

31. (Previously Presented) The service node according to claim 29, wherein the call is a terminating call, the control of the terminating call is received by the service node using a Call Forward Unconditional mechanism, and the service node is

further arranged to further direct the call towards the subscriber by overriding the Call Forwarding Unconditional mechanism.

32. – 34. (Canceled)

* * *